



Shandong Tai Shi Te Bearing Co., Ltd.

NTN UCFL210-114D1 Flange Block Bearings



Bearing No. UCFL210-114D1

UCFL210-114D1 Bearing 2D drawings and 3D CAD models

Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	2.23
EAN	4547359501674
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	1/2 Inch
Relubricatable	Yes
Insert Part Number	UC210-114D1
Seals	Single Lip Land Riding
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch - Metric	Inch
Long Description	2 Bolt Flange Block; 1-7/8" Bore; 6.2" Bolt Circle; 6-3/16" Bolt Spacing; 1 Piece Solid; Set Screw Mount; Cast Iron; Ball Bearing; 2-1/32" Length Thru Bore; Relubricatable; Single



Shandong Tai Shi Te Bearing Co., Ltd.

Other Features	Single Row Light Duty Wide Inner Race Has Flinger
Category	Flange Block
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	UCFL210-114D1
Weight / LBS	4.9
Nominal Bolt Circle Diameter Round	6.2 Inch 157 Millimeter
Cartridge Pilot Depth	0 Inch 0 Millimeter
Bolt Spacing	6.188 Inch 157.175 Millimeter
Cartridge Pilot Diameter	0 Inch 0 Millimeter
d	1.875 Inch 47.625 Millimeter
D	2.031 Inch 51.6 Millimeter
bore diameter:	1.8750 in
radial dynamic load capacity:	7900 lb
bolt center-to-center length:	6.1875 in
radial static load capacity:	5220 lb
overall length/diameter:	7.7500 in
seal type:	Contact with Flinger
bore type:	Round
length through bore:	2-5/32 in
duty type:	Light Duty
finish/coating:	Uncoated
mounting type:	Two-Bolt Flange
lubrication type:	Lubrication Fitting



Shandong Tai Shi Te Bearing Co., Ltd.

housing material:	Cast Iron
series:	UCFL2
locking device:	Set Screw
standards met:	ISO, AFBMA
expansion type:	Non-Expansion Bearing (Fixed)
replacement bearing:	UC210-114D1